



## China 608 Bearing Supplier



6310 Bearing 2D drawings and 3D CAD models

### Japan KOYO Deep Groove Ball Bearing 6310 2RS

Bearing No. 6310

Size	50x110x27 mm
Bore Diameter	50 mm
Outer Diameter	110 mm
Width	27 mm
d	50 mm
D	110 mm
B	27 mm
C	27 mm
r min.	2 mm
da min.	59 mm
Da max.	101 mm
ra max.	2 mm
Weight	1,07 Kg
Basic dynamic load rating (C)	62 kN
Basic static load rating (C0)	38,3 kN
(Grease) Lubrication Speed	6100 r/min
(Oil) Lubrication Speed	7300 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.16
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## China 608 Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	50MM Bore; 110MM Outside Diameter; 27MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6310
Weight / LBS	2.556
Bore	1.969 Inch   50 Millimeter
Outside Diameter	4.331 Inch   110 Millimeter
Outer Race Width	1.063 Inch   27 Millimeter
Bearing No.	6310
r(min)	2
Cr	77.5
C0r	38.3
Cu	2.90
f0	13.2
Grease lub.	6100
Oil lub.	7300



## China 608 Bearing Supplier

da(min)	59
Da(max)	101
ra(max)	2
(Refer.)Mass(kg)	1.07